ELSEVIER

Hearing Research 143 (2000) 223–224

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 143

Addicks, K., see Michel, O. (143) 23
Aharonson, V., see Furst, M. (143) 29
Ahroon, W.A. and Hamernik, R.P.
The effects of interrupted noise exposures on the noise-damaged cochlea (143) 103

Bloch, W., see Michel, O. (143) 23
Börjesson, P.K.E., see Lohuis, P.J.F.M. (143) 189
Burkard, R., see Zheng, X.-Y. (143) 14

Canlon, B., see Hultcrantz, M. (143) 182
Chen, K., see Zheng, L. (143) 115
Cunningham III, C.D., Weber, P.C., Spicer, S.S. and Schulte, B.A.
Canalicular reticulum in vestibular hair cells (143) 69

de Groot, H., see Dehne, N. (143) 162
Dehne, N., Lautermann, J., ten Cate, W.-J.F., Rauen, U. and de Groot, H.
In vitro effects of hydrogen peroxide on the cochlear neurosensory epithelium of the guinea pig (143) 162
Ding, D.-L., see Zheng, X.-Y. (143) 14

Eggermont, J.J., see Molenaar, D.G. (143) 197
Eggermont, J.J., see Molenaar, D.G. (143) 208

Fransson, A., see Hultcrantz, M. (143) 182
Fujiki, N., see Naito, Y. (143) 139
Fukuyama, H., see Naito, Y. (143) 139
Fullerton, B.C., see Furst, M. (143) 29
Furst, M., Aharonson, V., Levine, R.A., Fullerton, B.C., Tadmor, R., Pratt, H., Polyakov, A. and Korczyn, A.D.
Sound lateralization and interaural discrimination.. Effects of brainstem infarcts and multiple sclerosis lesions (143) 29
Fuzessery, Z.M., see Lohuis, T.D. (143) 43

Godfrey, D.A., see Zheng, L. (143) 115
Godfrey, T.G., see Zheng, L. (143) 115

Hamernik, R.P., see Ahroon, W.A. (143) 103
Hara, A., Serizawa, F., Tabuchi, K., Senarita, M. and Kusakari, J.
Hydroxyl radical formation in the perilymph of asphyxic guinea pig (143) 110
Henderson, D., see Zheng, X.-Y. (143) 14
Hess, A., see Michel, O. (143) 23
Hirano, S., see Naito, Y. (143) 139
Holder, N., see Williams, J.A. (143) 171
Hultcrantz, M., Stenberg, A.E., Fransson, A. and Canlon, B.
Characterization of hearing in an X.0 'Turner mouse' (143) 182

Ishizu, K., see Naito, Y. (143) 139

Klis, S.F.L., see Lohuis, P.J.F.M. (143) 189
Kojima, H., see Naito, Y. (143) 139
Kondrachuk, A.V.
Computer simulation of the mechanical stimulation of the saccular membrane of bullfrog (143) 130
Kong, W., see Zheng, L. (143) 115
Korczyn, A.D., see Furst, M. (143) 29
Kusakari, J., see Hara, A. (143) 110

Lanford, P.J., Platt, C. and Popper, A.N.
Structure and function in the saccule of the goldfish (*Carassius auratus*): a model of diversity in the non-amniote ear (143) 1
Lautermann, J., see Dehne, N. (143) 162
Levine, R.A., see Furst, M. (143) 29
Lohuis, P.J.F.M., Börjesson, P.K.E., Klis, S.F.L. and Smoorenburg, G.F.
The rat cochlea in the absence of circulating adrenal hormones: an electrophysiological and morphological study (143) 189
Lohuis, T.D. and Fuzessery, Z.M.
Neuronal sensitivity to interaural time differences in the sound envelope in the auditory cortex of the pallid bat (143) 43
Lychakov, D.V. and Rebane, Y.T.
Otolith regularities (143) 83

McFadden, S.L., see Zheng, X.-Y. (143) 14
Michel, O., Hess, A., Su, J., Bloch, W., Stennert, E. and Addicks, K.
Expression of inducible nitric oxide synthase (iNOS/NOS II) in the hydropic cochlea of guinea pigs (143) 23
Molenaar, D.G., Shaw, G. and Eggermont, J.J.
Noise suppression of transient-evoked otoacoustic emissions. I. A comparison with the non-linear method (143) 197
Molenaar, D.G., Shaw, G. and Eggermont, J.J.
Noise suppression of transient-evoked otoacoustic emissions. II. Derived narrow-band contributions (143) 208

Nagahama, Y., see Naito, Y. (143) 139
Naito, Y., Tateya, I., Fujiki, N., Hirano, S., Ishizu, K., Nagahama, Y., Fukuyama, H. and Kojima, H.
Increased cortical activation during hearing of speech in cochlear implant users (143) 139
Nuttall, A.L., see Ren, T. (143) 58

Platt, C., see Lanford, P.J. (143) 1
Polyakov, A., see Furst, M. (143) 29
Popper, A.N., see Lanford, P.J. (143) 1
Pratt, H., see Furst, M. (143) 29

Rauen, U., see Dehne, N. (143) 162
Rebane, Y.T., see Lychakov, D.V. (143) 83
Ren, T. and Nuttall, A.L.
Fine structure and multicomponents of the electrically evoked otoacoustic emission in gerbil (143) 58

Schulte, B.A., see Cunningham III, C.D. (143) 69
Schulte, B.A., see Spicer, S.S. (143) 147
Senarita, M., see Hara, A. (143) 110
Serizawa, F., see Hara, A. (143) 110
Shaw, G., see Molenaar, D.G. (143) 197

PII: S0378-5955(00)00056-3

Shaw, G., see Molenaar, D.G. (143) 208
Smoorenburg, G.F., see Lohuis, P.J.F.M. (143) 189
Spicer, S.S., see Cunningham III, C.D. (143) 69
Spicer, S.S., Thomopoulos, G.N. and Schulte, B.A.
Structural evidence for ion transport and tectorial membrane maintenance in the gerbil limbus (143) 147
Stenberg, A.E., see Hultcrantz, M. (143) 182
Stennert, E., see Michel, O. (143) 23
Su, J., see Michel, O. (143) 23

Tabuchi, K., see Hara, A. (143) 110
Tadmor, R., see Furst, M. (143) 29
Tateya, I., see Naito, Y. (143) 139
ten Cate, W.-J.F., see Dehne, N. (143) 162
Thomopoulos, G.N., see Spicer, S.S. (143) 147

Waller, H.J., see Zheng, L. (143) 115
Weber, P.C., see Cunningham III, C.D. (143) 69
Williams, J.A. and Holder, N.
Cell turnover in neuromasts of zebrafish larvae (143) 171

Zheng, L., Godfrey, D.A., Waller, H.J., Godfrey, T.G., Chen, K. and Kong, W.
Metabolism of the dorsal cochlear nucleus in rat brain slices (143) 115
Zheng, X.-Y., McFadden, S.L., Henderson, D., Ding, D.-L. and Burkard, R.
Cochlear microphonics and otoacoustic emissions in chronically de-efferented chinchilla (143) 14

ELSEVIER

Hearing Research 143 (2000) 225–228

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 143

Acetylcholinesterase
Adenosine triphosphate; Choline acetyltransferase; Amino acid; Malate dehydrogenase; High performance liquid chromatography (Zheng, L. (143) 115)

Cochlear efferent; Non-linearity; Inner ear; Otoacoustic emission; Cochlear microphonic (Zheng, X.-Y. (143) 14)

Adenosine triphosphate
Choline acetyltransferase; Acetylcholinesterase; Amino acid; Malate dehydrogenase; High performance liquid chromatography (Zheng, L. (143) 115)

Aldosterone
Summating potential; Na^+/K^+-ATPase; Endolymph (Lohuis, P.J.F.M. (143) 189)

Amino acid
Adenosine triphosphate; Choline acetyltransferase; Acetylcholinesterase; Malate dehydrogenase; High performance liquid chromatography (Zheng, L. (143) 115)

Antioxidant
Organ of Corti; Reactive oxygen species; Calcium; Iron (Dehne, N. (143) 162)

Asphyxia
Hydroxyl radical; High performance liquid chromatography; Iron; Free radical (Hara, A. (143) 110)

Asymptotic threshold
Toughening; Hearing loss; Interrupted noise (Ahroon, W.A. (143) 103)

Auditory brainstem response
Turner's syndrome; Mouse model; Hair cell; Pathology; Cochlea; Distortion product otoacoustic emission; Morphology; Hearing loss (Hultcrantz, M. (143) 182)

Auditory cortex
Interaural time difference; Interaural intensity difference; Inferior colliculus; Binaural processing; Sound localization (Lohuis, T.D. (143) 43)

Auditory pathway
Brainstem magnetic resonance imaging; Lateralization; Multiple sclerosis; Infarct (Furst, M. (143) 29)

Binaural processing
Interaural time difference; Auditory cortex; Interaural intensity difference; Inferior colliculus; Sound localization (Lohuis, T.D. (143) 43)

Brainstem magnetic resonance imaging
Auditory pathway; Lateralization; Multiple sclerosis; Infarct (Furst, M. (143) 29)

Calcium
Organ of Corti; Reactive oxygen species; Iron; Antioxidant (Dehne, N. (143) 162)

Cell turnover
Zebrafish; Neuromast (Williams, J.A. (143) 171)

Cellular variation
Hair cell; Saccule; Review (Lanford, P.J. (143) 1)

Choline acetyltransferase
Adenosine triphosphate; Acetylcholinesterase; Amino acid; Malate dehydrogenase; High performance liquid chromatography (Zheng, L. (143) 115)

Click
Human; Otoacoustic emission; Noise suppression (Molenaar, D.G. (143) 197)

Cochlea
Ultrastructure; Fibrocyte; Interdental cell; Gerbil (Spicer, S.S. (143) 147)

Turner's syndrome; Mouse model; Auditory brainstem response; Hair cell; Pathology; Distortion product otoacoustic emission; Morphology; Hearing loss (Hultcrantz, M. (143) 182)

Electrical stimulation; Otoacoustic emission; Electrically evoked otoacoustic emission; Cochlear amplifier; Furosemide; Signal processing (Ren, T. (143) 58)

Cochlear amplifier
Electrical stimulation; Cochlea; Otoacoustic emission; Electrically evoked otoacoustic emission; Furosemide; Signal processing (Ren, T. (143) 58)

Cochlear efferent
Acetylcholinesterase; Non-linearity; Inner ear; Otoacoustic emission; Cochlear microphonic (Zheng, X.-Y. (143) 14)

Cochlear implant
Postlingual deafness; Language; Neuronal network; Speech activation (Naito, Y. (143) 139)

Cochlear microphonic
Cochlear efferent; Acetylcholinesterase; Non-linearity; Inner ear; Otoacoustic emission (Zheng, X.-Y. (143) 14)

PII: S0378-5955(00)00057-5

Derived narrow band
Transient-evoked otoacoustic emission; Human; High-pass noise suppression (Molenaar, D.G. (143) 208)

Distortion product otoacoustic emission
Turner's syndrome; Mouse model; Auditory brainstem response; Hair cell; Pathology; Cochlea; Morphology; Hearing loss (Hultcrantz, M. (143) 182)

Ecomorphology
Fish; Otolith; Morphometry; Mathematical modeling (Lychakov, D.V. (143) 83)

Electrical stimulation
Cochlea; Otoacoustic emission; Electrically evoked otoacoustic emission; Cochlear amplifier; Furosemide; Signal processing (Ren, T. (143) 58)

Electrically evoked otoacoustic emission
Electrical stimulation; Cochlea; Otoacoustic emission; Cochlear amplifier; Furosemide; Signal processing (Ren, T. (143) 58)

Endolymph
Summating potential; Aldosterone; Na^+/K^+-ATPase (Lohuis, P.J.F.M. (143) 189)

Endolymphatic hydrops
Nitric oxide; Ototoxicity; Immunohistochemistry (Michel, O. (143) 23)

Endoplasmic reticulum
Inner ear; Ultrastructure; Ion transport; Synaptic vesicle; Membranogenesis; Gerbil (Cunningham III, C.D. (143) 69)

Fibrocyte
Cochlea; Ultrastructure; Interdental cell; Gerbil (Spicer, S.S. (143) 147)

Finite-element method
Otolith; Young's modulus; Simulation; Hair cell bundle (Kondrachuk, A.V. (143) 130)

Fish
Otolith; Morphometry; Mathematical modeling; Ecomorphology (Lychakov, D.V. (143) 83)

Free radical
Hydroxyl radical; Asphyxia; High performance liquid chromatography; Iron (Hara, A. (143) 110)

Furosemide
Electrical stimulation; Cochlea; Otoacoustic emission; Electrically evoked otoacoustic emission; Cochlear amplifier; Signal processing (Ren, T. (143) 58)

Gerbil
Cochlea; Ultrastructure; Fibrocyte; Interdental cell (Spicer, S.S. (143) 147)

Inner ear; Endoplasmic reticulum; Ultrastructure; Ion transport; Synaptic vesicle; Membranogenesis (Cunningham III, C.D. (143) 69)

Hair cell
Saccule; Cellular variation; Review (Lanford, P.J. (143) 1)

Turner's syndrome; Mouse model; Auditory brainstem response; Pathology; Cochlea; Distortion product otoacoustic emission; Morphology; Hearing loss (Hultcrantz, M. (143) 182)

Hair cell bundle
Otolith; Young's modulus; Simulation; Finite-element method (Kondrachuk, A.V. (143) 130)

Hearing loss
Toughening; Interrupted noise; Asymptotic threshold (Ahroon, W.A. (143) 103)

Turner's syndrome; Mouse model; Auditory brainstem response; Hair cell; Pathology; Cochlea; Distortion product otoacoustic emission; Morphology (Hultcrantz, M. (143) 182)

High performance liquid chromatography
Hydroxyl radical; Asphyxia; Iron; Free radical (Hara, A. (143) 110)

Adenosine triphosphate; Choline acetyltransferase; Acetylcholinesterase; Amino acid; Malate dehydrogenase (Zheng, L. (143) 115)

High-pass noise suppression
Derived narrow band; Transient-evoked otoacoustic emission; Human (Molenaar, D.G. (143) 208)

Human
Otoacoustic emission; Noise suppression; Click (Molenaar, D.G. (143) 197)

Derived narrow band; Transient-evoked otoacoustic emission; High-pass noise suppression (Molenaar, D.G. (143) 208)

Hydroxyl radical
Asphyxia; High performance liquid chromatography; Iron; Free radical (Hara, A. (143) 110)

Immunohistochemistry
Nitric oxide; Ototoxicity; Endolymphatic hydrops (Michel, O. (143) 23)

Infarct
Auditory pathway; Brainstem magnetic resonance imaging; Lateralization; Multiple sclerosis (Furst, M. (143) 29)

Inferior colliculus
Interaural time difference; Auditory cortex; Interaural intensity difference; Binaural processing; Sound localization (Lohuis, T.D. (143) 43)

Inner ear
Cochlear efferent; Acetylcholinesterase; Non-linearity; Otoacoustic emission; Cochlear microphonic (Zheng, X.-Y. (143) 14)

Endoplasmic reticulum; Ultrastructure; Ion transport; Synaptic vesicle; Membranogenesis; Gerbil (Cunningham III, C.D. (143) 69)

Interaural intensity difference
Interaural time difference; Auditory cortex; Inferior colliculus; Binaural processing; Sound localization (Lohuis, T.D. (143) 43)

Interaural time difference
Auditory cortex; Interaural intensity difference; Inferior colliculus; Binaural processing; Sound localization (Lohuis, T.D. (143) 43)

Interdental cell
Cochlea; Ultrastructure; Fibrocyte; Gerbil (Spicer, S.S. (143) 147)

Interrupted noise
Toughening; Hearing loss; Asymptotic threshold (Ahroon, W.A. (143) 103)

Ion transport
Inner ear; Endoplasmic reticulum; Ultrastructure; Synaptic vesicle; Membranogenesis; Gerbil (Cunningham III, C.D. (143) 69)

Iron
Hydroxyl radical; Asphyxia; High performance liquid chromatography; Free radical (Hara, A. (143) 110)

Organ of Corti; Reactive oxygen species; Calcium; Antioxidant (Dehne, N. (143) 162)

Language
Cochlear implant; Postlingual deafness; Neuronal network; Speech activation (Naito, Y. (143) 139)

Lateralization
Auditory pathway; Brainstem magnetic resonance imaging; Multiple sclerosis; Infarct (Furst, M. (143) 29)

Malate dehydrogenase
Adenosine triphosphate; Choline acetyltransferase; Acetylcholinesterase; Amino acid; High performance liquid chromatography (Zheng, L. (143) 115)

Mathematical modeling
Fish; Otolith; Morphometry; Ecomorphology (Lychakov, D.V. (143) 83)

Membranogenesis
Inner ear; Endoplasmic reticulum; Ultrastructure; Ion transport; Synaptic vesicle; Gerbil (Cunningham III, C.D. (143) 69)

Morphology
Turner's syndrome; Mouse model; Auditory brainstem response; Hair cell; Pathology; Cochlea; Distortion product otoacoustic emission; Hearing loss (Hultcrantz, M. (143) 182)

Morphometry
Fish; Otolith; Mathematical modeling; Ecomorphology (Lychakov, D.V. (143) 83)

Mouse model
Turner's syndrome; Auditory brainstem response; Hair cell; Pathology; Cochlea; Distortion product otoacoustic emission; Morphology; Hearing loss (Hultcrantz, M. (143) 182)

Multiple sclerosis
Auditory pathway; Brainstem magnetic resonance imaging; Lateralization; Infarct (Furst, M. (143) 29)

Na^+/K^+-ATPase
Summating potential; Aldosterone; Endolymph (Lohuis, P.J.F.M. (143) 189)

Neuromast
Zebrafish; Cell turnover (Williams, J.A. (143) 171)

Neuronal network
Cochlear implant; Postlingual deafness; Language; Speech activation (Naito, Y. (143) 139)

Nitric oxide
Ototoxicity; Endolymphatic hydrops; Immunohistochemistry (Michel, O. (143) 23)

Noise suppression
Human; Otoacoustic emission; Click (Molenaar, D.G. (143) 197)

Non-linearity
Cochlear efferent; Acetylcholinesterase; Inner ear; Otoacoustic emission; Cochlear microphonic (Zheng, X.-Y. (143) 14)

Organ of Corti
Reactive oxygen species; Calcium; Iron; Antioxidant (Dehne, N. (143) 162)

Otoacoustic emission
Cochlear efferent; Acetylcholinesterase; Non-linearity; Inner ear; Cochlear microphonic (Zheng, X.-Y. (143) 14)

Human; Noise suppression; Click (Molenaar, D.G. (143) 197)

Electrical stimulation; Cochlea; Electrically evoked otoacoustic emission; Cochlear amplifier; Furosemide; Signal processing (Ren, T. (143) 58)

Otolith
Young's modulus; Simulation; Finite-element method; Hair cell bundle (Kondrachuk, A.V. (143) 130)

Fish; Morphometry; Mathematical modeling; Ecomorphology (Lychakov, D.V. (143) 83)

Ototoxicity
Nitric oxide; Endolymphatic hydrops; Immunohistochemistry (Michel, O. (143) 23)

Pathology
Turner's syndrome; Mouse model; Auditory brainstem response; Hair cell; Cochlea; Distortion product otoacoustic emission; Morphology; Hearing loss (Hultcrantz, M. (143) 182)

Postlingual deafness
Cochlear implant; Language; Neuronal network; Speech activation (Naito, Y. (143) 139)

Reactive oxygen species
Organ of Corti; Calcium; Iron; Antioxidant (Dehne, N. (143) 162)

Review
Hair cell; Saccule; Cellular variation (Lanford, P.J. (143) 1)

Saccule
Hair cell; Cellular variation; Review (Lanford, P.J. (143) 1)

Signal processing
Electrical stimulation; Cochlea; Otoacoustic emission; Electrically evoked otoacoustic emission; Cochlear amplifier; Furosemide (Ren, T. (143) 58)

Simulation
Otolith; Young's modulus; Finite-element method; Hair cell bundle (Kondrachuk, A.V. (143) 130)

Sound localization
Interaural time difference; Auditory cortex; Interaural intensity difference; Inferior colliculus; Binaural processing (Lohuis, T.D. (143) 43)

Speech activation
Cochlear implant; Postlingual deafness; Language; Neuronal network (Naito, Y. (143) 139)

Summating potential
Aldosterone; Na^+/K^+-ATPase; Endolymph (Lohuis, P.J.F.M. (143) 189)

Synaptic vesicle
Inner ear; Endoplasmic reticulum; Ultrastructure; Ion transport; Membranogenesis; Gerbil (Cunningham III, C.D. (143) 69)

Toughening
Hearing loss; Interrupted noise; Asymptotic threshold (Ahroon, W.A. (143) 103)

Transient-evoked otoacoustic emission
Derived narrow band; Human; High-pass noise suppression (Molenaar, D.G. (143) 208)

Turner's syndrome
Mouse model; Auditory brainstem response; Hair cell; Pathology; Cochlea; Distortion product otoacoustic emission; Morphology; Hearing loss (Hulterantz, M. (143) 182)

Ultrastructure
Cochlea; Fibrocyte; Interdental cell; Gerbil (Spicer, S.S. (143) 147)

Inner ear; Endoplasmic reticulum; Ion transport; Synaptic vesicle; Membranogenesis; Gerbil (Cunningham III, C.D. (143) 69)

Young's modulus
Otolith; Simulation; Finite-element method; Hair cell bundle (Kondrachuk, A.V. (143) 130)

Zebrafish
Neuromast; Cell turnover (Williams, J.A. (143) 171)